Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held.

If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment.

If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemakings and Adjudications Staff, or may be delivered to the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, by the above date. A copy of the petition should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and to Brent L. Brandenburg, Esq., 4 Irving Place, New York, New York 10003, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)–(v) and 2.714(d).

For further details with respect to this action, see the application for amendment dated April 21, 1999, which is available for public inspection at the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, and at the local public document room located at the White Plains Library, 100 Martine Avenue, White Plains, New York 10610.

Dated at Rockville, Maryland, this 7th day of October 1999.

For the Nuclear Regulatory Commission. **Jefferey F. Harold,**

Project Manager, Section 1, Project Directorate I, Division of Licensing Project Management, Office of Nuclear Reactor Regulation.

[FR Doc. 99–26780 Filed 10–13–99; 8:45 am] BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-155-ML and ASLBP No. 79-423-11-ML]

Consumers Power (Big Rock Point); Notice of Reconstitution

Pursuant to the authority contained in 10 CFR 2.721, the Atomic Safety and Licensing Board in the captioned 10 CFR part 2, Subpart G proceeding is hereby reconstituted by appointing Administrative Judge G. Paul Bollwerk, III, as Chairman in place of Administrative Judge Peter B. Bloch.

All correspondence, documents and other material shall be filed with the new Board Chairman in accordance with 10 CFR 2.701. The address of the new Chairman is: Administrative Judge G. Paul Bollwerk, III, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Issued at Rockville, Maryland, this 7th day of October 1999.

G. Paul Bollwerk III,

Chief Administrative Judge, Atomic Safety and Licensing Board Panel.

[FR Doc. 99–26772 Filed 10–13–99; 8:45 am] BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket No. 40–8681-MLA–5; ASLBP No. 99–758–02–MLA]

International Uranium (USA) Corporation; Notice of Reconstitution

Pursuant to the authority contained in 10 CFR 2.721 and 2.1207, the Presiding Officer in the captioned 10 CFR part 2, Subpart L proceeding is hereby replaced by appointing Administrative Judge G. Paul Bollwerk, III as Presiding Officer in place of Administrative Judge Peter B. Bloch.

All correspondence, documents, and other material shall be filed with the Presiding Officer in accordance with 10 CFR 2.1203. The address of the new Presiding Officer is: Administrative Judge G. Paul Bollwerk, III, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Issued at Rockville, Maryland, this 7th day of October 1999.

G. Paul Bollwerk III.

Chief Administrative Judge, Atomic Safety and Licensing Board Panel.

[FR Doc. 99–26775 Filed 10–13–99; 8:45 am]
BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 40-8794-MLA and 40-8778-MLA; ASLBP No. 99-769-08-MLA]

Molycorp, Inc.; Notice of Reconstitution

Pursuant to the authority contained in 10 CFR 2.721 and 2.1207, the Presiding Officer in the captioned 10 CFR Part 2, Subpart L proceeding is hereby replaced by appointing Administrative Judge Charles Bechhoefer as Presiding Officer in place of Administrative Judge Peter B. Bloch.

All correspondence, documents, and other material shall be filed with the Presiding Officer in accordance with 10 CFR 2.1203. The address of the new Presiding Officer is: Administrative Judge Charles Bechhoefer; Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555–0001.

Issued at Rockville, Maryland, this 7th day of October 1999.

G. Paul Bollwerk III,

Chief Administrative Judge, Atomic Safety and Licensing Board Panel.

[FR Doc. 99–26774 Filed 10–13–99; 8:45 am] BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-344]

Portland General Electric Company, et al.; Trojan Nuclear Plant; Notice of Receipt, Availability for Comment, and Meeting To Discuss License Termination Plan

The Nuclear Regulatory Commission (NRC) is in receipt of and is making available for public inspection and comment the License Termination Plan (LTP) for the Trojan Nuclear Plant (TNP) located in Columbia County, Oregon, on the west bank of the Columbia River.

Portland General Electric Company (PGE, or the licensee) announced permanent cessation of power operations of TNP on January 4, 1993. In accordance with NRC regulations in effect at that time, PGE submitted a decommissioning plan for TNP to the NRC in January 1995, which was approved by the NRC on April 15, 1996.

The facility is undergoing active decontamination and dismantlement.

In accordance with 10 CFR 50.82(a)(9), all power reactor licensees must submit an application for termination of their license. The application for termination of license must be accompanied or preceded by an LTP to be submitted for NRC approval. If found acceptable by the NRC staff, the LTP is approved by license amendment, subject to such conditions and limitations as the NRC staff deems appropriate and necessary. PGE submitted the proposed LTP for TNP by application dated August 5, 1999. In accordance with 10 CFR 20.1405 and 10 CFR 50.82(a)(9)(iii), the NRC is providing notice to individuals in the vicinity of the site that the NRC is in receipt of the TNP LTP, and will accept comments from affected parties. In accordance with 10 CFR 50.82(a)(9)(iii), the NRC is also providing notice that the NRC staff will conduct a meeting to discuss the TNP LTP on Tuesday, December 7, 1999, at 7:00 p.m. at the Best Western-Oak Meadows Inn, located at 585 South Columbia River Highway, St Helens, Oregon.

The TNP LTP is available for public inspection at the TNP local public document room, located at the Branford Price Millar Library, Portland State University, 934 SW Harrison Street, P.O. Box 1151, Portland, Oregon 97202, and at the Commission's Public Document Room, The Gelman Building, 2120 L Street, NW, Washington, DC 20037.

Comments regarding the TNP LTP may be submitted in writing and addressed to Mr. Lee Thonus, Mail Stop O–11–D19, Project Directorate IV and Decommissioning, Division of Licensing Project Management, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, telephone (717) 948–1161 or e-mail LHT@nrc.gov.

Dated at Rockville, Maryland, this 6th day of October 1999.

For the Nuclear Regulatory Commission.

Richard F. Dudley,

Acting Chief, Decommissioning Section, Project Directorate IV and Decommissioning, Division of Licensing Project Management, Office of Nuclear Reactor Regulation. [FR Doc. 99–26782 Filed 10–13–99; 8:45 am] BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-460-OL and ASLBP No. 82-479-06-OL]

Washington Public Power Supply System; Notice of Reconstitution

Pursuant to the authority contained in 10 CFR 2.721, the Atomic Safety and Licensing Board in the captioned 10 CFR part 2, Subpart G proceeding is hereby reconstituted by appointing Administrative Judge G. Paul Bollwerk, III, as Chairman in place of Administrative Judge Peter B. Bloch.

All correspondence, documents, and other material shall be filed with the new Board Chairman in accordance with 10 CFR 2.701. The address of the new Chairman is: Administrative Judge G. Paul Bollwerk, III, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Issued at Rockville, Maryland, this 7th day of October 1999.

G. Paul Bollwerk III,

Chief Administrative Judge, Atomic Safety and Licensing Board Panel.

[FR Doc. 99–26773 Filed 10–13–99; 8:45 am] BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-317 and 50-318]

Baltimore Gas and Electric Company; Notice of Availability of the Final Supplement 1 to the Generic Environmental Impact Statement for the License Renewal of Calvert Cliffs Nuclear Power Plant, Unit Nos. 1 and 2

Notice is hereby given that the U.S. Nuclear Regulatory Commission (the Commission) has published a final plant-specific Supplement 1 to the Generic Environmental Impact Statement (GEIS) (NUREG-1437) regarding the renewal of operating licenses DPR-53 and DPR-69 for an additional 20 years of operation at the Calvert Cliffs Nuclear Power Plant (CCNPP), Unit Nos. 1 and 2, respectively. CCNPP is located in Calvert County, Maryland. Possible alternatives to the proposed action (license renewal) include no action and reasonable alternative energy sources.

In Section 9.3 of the report, the staff concludes: Based on (1) the analysis and findings in the Generic Environmental Impact Statement for License Renewal of Nuclear Power Plants, NUREG-1437, (2) the ER [Environmental Report]

submitted by BGE, (3) consultation with other Federal, State, and local agencies, (4) its own independent review, and (5) its consideration of public comments, the staff recommends that the Commission determine that the adverse environmental impacts of license renewal for Calvert Cliffs Nuclear Power Plant Unit 1 and Unit 2 are not so great that preserving the option of license renewal for energy planning decisionmakers would be unreasonable.

The final supplement to the GEIS for CCNPP is available for public inspection and copying at the Commission's Public Document Room at the Gelman Building, 2120 L Street NW., Washington, DC, and the Local Public Document Room located in the Calvert County Public Library, 30 Duke Street, Prince Frederick, MD 20678.

FOR FURTHER INFORMATION, CONTACT: Mr. Thomas J. Kenyon, Generic Issues, Environmental, Financial, and Rulemaking Branch, Division of Regulatory Improvement Programs, U.S. Nuclear Regulatory Commission, Washington, DC 20555. Mr. Kenyon can be contacted at (301) 415–1120 or by writing to: Thomas J. Kenyon, U.S. Nuclear Regulatory Commission, MS 0–11 F1, Washington, DC 20555.

Dated at Rockville, Maryland, this 5th day of October, 1999.

For the Nuclear Regulatory Commission.

Scott F. Newberry,

Acting Director, Division of Regulatory Improvement Programs, Office of Nuclear Reactor Regulation.

[FR Doc. 99–26781 Filed 10–13–99; 8:45 am] BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

Advisory Committee on Reactor Safeguards; Meeting of the Subcommittee on Human Factors; Notice of Meeting

The ACRS Subcommittee meeting on Human Factors scheduled to be held on Friday, October 22, 1999, has been rescheduled for Friday, November 19, 1999, 8:30 a.m., in Room T-2B3, 11545 Rockville Pike, Rockville, Maryland. Notice of this meeting was published in the **Federal Register** on Friday, October 1, 1999 (64 FR 53423). All other items pertaining to this meeting remain the same as previously published.

For further information contact the cognizant ACRS staff engineers, Mr. Noel F. Dudley (telephone 301/415–6888) or Mr. Juan Peralta (telephone 301/415–6855) between 7:30 a.m. and 4:15 p.m. (EDT).